SFP-H25G-CU3M Datasheet



Get a Quote

Overview

The Cisco SFP-H25G-CU3M Compatible 25G SFP28 Passive Direct Attach Copper Twinax Cable is designed for use in 25GBASE Ethernet. This cable is compliant with IEEE P802.3by Ethernet standard and SFP28 MSA Compliant. Each SFP28 connector comprises an EEPROM providing product information which can be read by the host system. With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable for short-distance connectivity within a rack or between adjacent racks in data centers.

Quick Specification

Table 1 shows the quick specification.

Cisco Compatible	SFP-H25G-CU3M
Form Type	SFP28 to SFP28
Max Data Rate	25Gbps
Wire AWG	30AWG
Length	3 Meters
Connector Interface	SFP28
Temperature Range	0 to 70°C

Figure 1 shows the appearance of SFP-H25G-CU3M.



Product Details

<0.1W Low Power Consumption

Fully Compatible with 200+ Vendors



SFP-H25G-CU3M Datasheet



For 25GBASE Ethernet and Data Centers SFP28 MSA Compliant (SFF-8402 and SFF-8432) FS BOX - Support Real-time Encoding

Get More Information

Do you have any question about the SFP-H25G-CU3M? Contact us now via info@hi-network.com.

Specification

SFP-H25G-CU3M Specification			
Part Number	SFP-H25G-CU3M		
Form Factor	SFP+ Cable		
Data Rate	25Gb/s		
Passive or actively equalized	Passive		
Supply Voltage	3.3V		
Cable Length	3 m		
Cable Type	Twinax		
Cable impedance	100 Ω		
Wire Gauge	26AWG		
Minimum cable bend radius	35 mm		
Cable Jacket Type	PVC		
Connector	SFP+		
Digital Diagnostic Monitoring	N/A		
Environment	Operating: 0°C to 70°C		
	Storage: -40°C to 85°C		
Weight	0.25 kg		
Application	25G Ethernet		
	Data center cabling infrastructure		
Compliance	SFF-8402		
	SFF-8432		
	MIL-STD-883C		
	RoHS		



SFP-H25G-CU3M Datasheet



Want to Buy

Get a Quote			
0		in	Q
Learn More about Hi-Network	Search our Resource Library	Follow us on LinkedIn	Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

