

[Get a Quote](#)

Overview

The GLC-FE-100LX-RGD is a third-party compatible SFP for Cisco. This 100BASE module will reach 10km and uses a wavelength of 1310nm. All GLC-FE-100LX-RGD are in-system tested in real Cisco routers and switches.

Quick Specification

Product Name	GLC-FE-100LX-RGD
Media	Fiber
Wavelength	1310nm
Data Range	OC48
Mode	LC
Connector Type	SM
Distance	10km
Operating Temperature	0° to 70° C (32° to 158° F)

Product Details:

The Front Panel:



Get more information:

Do you have any question about the GLC-FE-100LX-RGD?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

General	
Device Type	SFP (mini-GBIC) transceiver module
Form Factor	Plug-in module
Networking	
Connectivity Technology	Wired
Cabling Type	100Base-LX
Data Link Protocol	100Mb LAN
Optical Wave Length	1310 nm
Max Transfer Distance	6.2 miles
Compliant Standards	IEEE 802.3, IEEE 802.3ah
Expansion / Connectivity	
Interfaces	1 x Ethernet 100Base-LX - LC single-mode x 2
Compatible Slots	1 x SFP (mini-GBIC)
Dimensions & Weight	
Width	0.5 in
Depth	2.2 in
Height	0.3 in
Manufacturer Warranty	
Service & Support	Limited warranty - 90 days
Environmental Parameters	
Min Operating Temperature	-40 °F
Max Operating Temperature	185 °F

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/add?contact=echo.hinetwork)

WhatsApp Business: +8618057156223