

Get a Quote

Overview

The Cisco 10GBASE-SR module SFP-10G-SR-S supports a link length of 26 meters on standard Fiber Distributed Data Interface (FDDI)-grade multimode fiber (MMF). Using 2000 MHz*km MMF (OM3), up to 300-meter link lengths are possible. Using 4700 MHz*km MMF (OM4), up to 400 meter link lengths are possible.

Quick Specification

SKU	SFP-10G-SR-S	
Description	Cisco 10GBASE-SR SFP+ Module for MMF	
Type	10GBASE-SR 850nm MMF	
Transmit Power (dBm)	Maximum	Minimum
	-1.2	-7.3
Receive Power (dBm)	Maximum	Minimum
	-1.0	-9.9
Transmit and Receive Wavelength (nm)	840 to 860	
Bail Latch Color	Beige	
Power Consumption (W)	1	
Operating Temperature Range	COM	

Product Details:

The Front Panel:





Get more information:

Do you have any question about the SFP-10G-SR-S?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

SKU	SFP-10G-SR-S	
Description	Cisco 10GBASE-SR SFP+ Module for MMF	
Type	10GBASE-SR 850nm MMF	
Transmit Power (dBm)	Maximum	Minimum
	-1.2	-7.3
Receive Power (dBm)	Maximum	Minimum
	-1.0	-9.9
Transmit and Receive Wavelength (nm)	840 to 860	
Bail Latch Color	Beige	
Power Consumption (W)	1	
Operating Temperature Range	COM	



Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223