

[Get a Quote](#)

## Overview

Cisco SFP-H10GB-CU2M Compatible 10G SFP+ DAC Twinax Cable (2-meter, passive, SFP+ to SFP+, 30AWG).

## Quick Specification

Part Number:	SFP-H10GB-CU2M
Connectors:	SFP+-SFP+
Rate Category:	10GBase-10GBase
Cable Type:	Twinax (DAC)
Length:	10 meter
Active/Passive:	Passive
<b>Platform Support</b>	
<b>Cisco SFP+ modules are supported on a wide range of Cisco switches and routers:</b>	
<ul style="list-style-type: none"> <li>• 7600 Series Router</li> <li>• ASR 901</li> </ul>	<ul style="list-style-type: none"> <li>• Catalyst 4500 and 4500-X Series Switches</li> <li>• CRS Router</li> </ul>
<ul style="list-style-type: none"> <li>• ASR 903</li> <li>• ASR 1000 Series Router</li> </ul>	<ul style="list-style-type: none"> <li>• MDS 9000</li> <li>• ME 4500</li> </ul>
<ul style="list-style-type: none"> <li>• ASR 9000 Series Router</li> <li>• ASR 9000v Series Router</li> <li>• Catalyst 2350 and 2360 Series Switches</li> </ul>	<ul style="list-style-type: none"> <li>• ME 4900NCS 6000 Series Router</li> <li>• Nexus 2000, 3000, and 4000 Series Switches</li> <li>• Nexus 9000 and 9500 (modular) Series Switches</li> </ul>
<ul style="list-style-type: none"> <li>• Catalyst 2960-S, 2960-X, and 2960-XR Series Switches</li> <li>• Catalyst 3100 Blade Switches</li> <li>• Catalyst 3560, 3560-E, and 3560-X Series Switches</li> <li>• Catalyst 3750, 3750-E, and 3750-X Series Switches</li> </ul>	<ul style="list-style-type: none"> <li>• RF Gateway Series</li> <li>• SCE 8000</li> <li>• Shared Port Adapter (SPA)</li> <li>• Unified Computing System (UCS) Switches</li> </ul>



- Catalyst 3850 Series Switches

## Product Details:

### The Front Panel:



Get more information:

Do you have any question about the SFP-H10GB-CU2M?

Contact us now via e-mail: [info@hi-network.com](mailto:info@hi-network.com)

## Specific Data Sheet:

General	
Network Cable Type	Direct attach cable
Technology	Twinaxial
American Wire Gauge (AWG)	30
Length	6.6 ft
Connectivity	





Connector	SFP+
Connector (Second End)	SFP+
Compatibility Information	
Designed For	Cisco Catalyst 2960-24LC-S, 2960-24PC-L, 2960-24PC-S, 2960-24TC, 2960-24TC-L, 2960-24TC-S, 2960-48PST-L, 2960-48PST-S, 2960-48T, 2960-48TC, 2960-48TC-L, 2960-48TC-S, 2960-8TC, 2960-8TC-S, 2960G-24TC, 2960G-48TC, 2960G-8TC, 2960S-24PD-L, 2960S-24PS-L, 2960S- 24TD-L, 2960S-24TS-L, 2960S-24TS-S, 2960S-48FPD-L, 2960S-48FPS-L, 2960S-48LPD-L, 2960S-48LPS-L, 2960S-48TD-L, 2960S-48TS-L, 2960S-48TS-S   Cisco UCS 6140XP Fabric Interconnect

## Want to Buy?

Order Now

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales](#) or [Support](#)

## Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: [info@hi-network.com](mailto:info@hi-network.com)

Skype: echo.hinetwork

